

Scout Report sent out

Noted in the NID File

Location map pinned

Approval or Disapproval Letter

Date Completed, P. & A. or
operations suspended

Pin changed on location map

Affidevit and Record of A & P

Water Shut-Off Test

Gas-Oil Ratio Test

Well Log Filed



unit



FILE NOTATIONS

Entered in NID File

Entered On S R Sheet

Location Map Pinned

Card Indexed

IWR for State or Fee Land

Checked by Chief

Copy NID to Field Office

Approval Letter

Disapproval Letter

COMPLETION DATA:

Date Well Completed

OW VW TA

GW OS PA

Location Inspected

Bonded and

State of Fee Land

LOGS FILED

Driller's Log

Electric Logs (No.)

E I E-I

GR

GR-N

Micro

Lat

M-L

Sonic

Others

Subsequent Report of Dr. [Signature]


(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City

Lease No. U-08741

Unit _____



NE 1/4

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Moonshine Wash Unit

April 16, _____, 19**58**

Well No. **#2** is located **1900** ft. from **[N]** line and **1900** ft. from **[E]** line of sec. **22**

NE SEC. 22
(1/4 Sec. and Sec. No.)

25S
(Twp.)

15W
(Range)

ALPM
(Meridian)

Wildcat
(Field)

Mojo
(County or Subdivision)

Utah
(State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Continental Oil Co. proposes to drill a well at the above location to an approximate depth of 6650' to test the oil and gas possibilities of the Pennsylvanian and Mississippian strata.

Tentative plans are to run 13 1/8" csg to 300', 9 5/8" csg. to 1400', depending on water or lost circulation problems encountered in the Jurassic sand section. If commercial shows are encountered a 5 1/2" production string will be set. Approx date is estimated as 4-21-58.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Continental Oil Co.

Address Box 1121

Durango

Colorado

By

R. Harrelly

Title Geologist

OIL WELL LOCATION PLAT

Well: Moonshine Wash Unit No 2


Lease No: U-08741

Sec. 22, T25S, R15E, S.L.B. & M.

Emery County, Utah


Well Loc.: 1980 W/E, 1980 S/N


Elevation:



Scale: 1 Inch = 1000 Feet

April 12, 1958





NE 1/4

(SUBMIT IN TRIPLICATE)
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City
Lease No. U-08741
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Moonshine Wash Unit

April 16, 1960

Well No. **42** is located **1980** ft. from **[N]** line and **1980** ft. from **[E]** line of sec **22**

NE 336. 22 **25S** **15E** **41PM**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat **Emery** **Utah**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Continental Oil Co. proposes to drill a well at the above location to an approximate depth of 6650' to test the oil and gas possibilities of the Pennsylvanian and Mississippian strata.

Tentative plans are to run 13 3/8" cas. to 300', 9 5/8" cas. to 1400', depending on water or lost circulation problems encountered in the Jurassic sand section. If commercial shows are encountered a 5 1/2" production string will be set. Spud date is estimated as 4-21-58.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Continental Oil Co.**

Address **Box 1121**

Durango

Colorado

By

A. Farrelly

Geologist

OIL WELL LOCATION PLAT

Well: Moonshine Wash Unit N^o 2


Lease N^o: U-08741

Sec. 22, T25S, R15E, S.L.B. & M.

Emery County, Utah


Well Loc.: 1980 W/E, 1980 S/N

Elevation:




Scale: 1 Inch = 1000 Feet

April 12, 1958



GREAT LAKES NATURAL GAS CORP.
COTTONWOOD WASH UNIT #1

RECEIVED
MAR 17 1958
G.L. & M. CO.
LOS ANGELES



SEC 21, T11S, R21E SALT LAKE
BASE & MERIDIAN
UINTAH COUNTY, UTAH

H. V. Ross

Ross Construction Co.

Karnak, Utah

PARTY Nelson Marshall
Steve Luck


WEATHER Cloudy, Rain

SURVEY

Cottonwood Wash Unit #1 Well, located
2130'fwl & 1580'fsl, Sec 21, T11 South
R21E, S1E & M, Uintah County, Utah.

DATE 27 March 1958
REFERENCES G.L.O. Plots
G.L.O. Corners

FILE Great Lakes Natural
Gas Corp.



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City

Lease No. U-08741

Unit Moonshine Wash

71-14
5-7

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	X
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 2, 1958

Moonshine Wash Unit

Well No. 2 is located 1980 ft. from N line and 1980 ft. from E line of sec. 22

NE 22

(1/4 Sec. and Sec. No.)

25S

(Twp.)

15E

(Range)

SLPM

(Meridian)

Wildcat

(Field)

Emery

(County or Subdivision)

Utah

(State or Territory)

The elevation of the derrick floor above sea level is 4824 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

The following casing was set on the subject well.

Reamed hole to 17 1/2" to 916'.

Set 896' (27 joints) 13 3/8" OD, 48#, Range 2 casing at 909'

with 713 sax of regular cement. Circulated. Plug down

8:30 P. M. 4-30-58.

Nippled up. Pressured up to 1000# to test casing.

Drilled plug 11:45 P. M. 5-1-58.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company Continental Oil Co.

Address Box 1121

Durango, Colorado

By Charles V. Lee

Title Geologist



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City

Lease No. U 08741

Unit Moonshine Wash

71-118
7-28

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Moonshine Wash Unit

July 8, 1958

Well No. 2 is located 1980 ft. from (N) line and 1980 ft. from (E) line of sec. 22

NE 1/4 Sec. 22

(1/4 Sec. and Sec. No.)

25S

(Twp.)

15E

(Range)

S L B & M

(Meridian)

Wildcat

(Field)

Emery County

(County or Subdivision)

Utah

(State or Territory)

The elevation of the derrick floor above sea level is 4826 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

Subject well was plugged on July 4, 1958. Verbal approval received from U. S. G. S. (Mr. Schawbro) July 3, 1958.

Plugs as follows:

5940-5880	40	sax	(Mississippian)
4990-4920	35	sax	(Penn. Paradox)
3320-3250	35	sax	(Penn. Hermosa)
2470-2400	35	sax	(Permian Coconino)
1420-1350	35	sax	(Jurassic Wingate)
925- 355	30	sax	(Base Surface Pipe.)

10' Surface Plug and Marker set.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Continental Oil Co.


Address Box 1121

Durango, Colorado

By

P. J. Farrelly

Title Geologist

U. S. LAND OFFICE Salt Lake City
SERIAL NUMBER U 08741
LEASE OR PERMIT TO PROSPECT _____

LOCATE WELL CORRECTLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company Continental Oil Co. Address Box 1121, Durango, Colorado
Lessor or Tract Moonshine Wash Unit Field Widecat State Utah
Well No. 2 Sec. 22 T. 25S R. 15E Meridian SL&M County Emery
Location 1980 ft. [N.] of N. Line and 1980 ft. [E.] of E. Line of Sec. 22 Elevation 4826
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed _____

Date July 10, 1958Title Geologist

The summary on this page is for the condition of the well at above date.

Commenced drilling April 21, 1958 Finished drilling July 4, 1958

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from 315 to 810 No. 3, from 2445 to 2832
No. 2, from 405 to 1393 No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From	To	
13 3/8	48#		J-55	27 jts	Halliburton				Surface

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
13 3/8	909'	713 sax reg	Displacement		

FOLD

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from Surface feet to TD(6396) feet, and from _____ feet to _____ feet
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

_____, 19____ Put to producing _____ P & A 7-47958

The production for the first 24 hours was _____ barrels of fluid of which _____% was oil; _____%
emulsion; _____% water; and _____% sediment. Gravity, °Bé. _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Wilbur Lang _____, Driller Joe Yowell _____, Driller
A. O. King _____, Driller Raymond Sinkheil, Supervisor

FORMATION RECORD


FROM—	TO—	TOTAL FEET	FORMATION
Surface	185	185	<u>Jurassic</u>
185	320	135	Entrada ss
320	840	520	Carmel, sh, siltstone
840	1105	265	Navajo, ss
1105	1393	288	Kayenta, sh, ss
			Wingate, ss
			<u>Triassic</u>
1393	1735	343	Chinle, siltstone
1735	1774	39	Shinarump, ss, cong
1774	2445	671	Moenkopi, siltstone, shale
			<u>Permian</u>
2445	2822	377	Coconino, ss
2822	3283	461	"Cutler" siltstone, sh, ls
			<u>Pennsylvanian</u>
3283	4955	1672	Hermosa, limestone, anhydrite, shale
4955	5916	961	Paradox, dol, ls, sh, anhydrite & salt
5916	6396 TD	480	<u>Mississippian</u> , ls, dol

[OVER]

16-43094-4

AUG 22 1958

W/



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City
Lease No. U 08741
Unit Moonshine Wash

71-K
10-1

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	X
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 24, 1958

Moonshine Wash Unit

Well No. 2 is located 1980 ft. from {N} line and 1980 ft. from {E} line of sec. 22

NE 1/4 Sec. 22 25S 15E SLBM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat Emery County Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4826 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Location cleaned, restored and ready for inspection.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Continental Oil Co.

Address Box 1121

Durango, Colorado

By Charles V. Lee

Title Geologist